Author index

Aarts, M.G.M. *see* Assunção, A.G.L

Ackley, A. *see* Hanson, B.

Adamec, L. *see* Sirová, D.

Adigüzel, N. *see* Mengoni, A.

Alabouvette, C. *see* Recorbet, G.

Alonso, C. & Herrera, C.M. Developmental and spatial covariation of nutrients in growing leaves of *Daphne laureola* and their relationships with herbivory, 645

Amrhein, C. *see* Goodson, C.C.

Armstrong, M. *see* Bos, J.I.B.

Arnone III, J.A. *see* Obrist, D.

Assunção, A.G.L, Schat, H. & Aarts, M.G.M. *Thlaspi caerulescens*, an attractive model species to study heavy metal hyperaccumulation in plants, 351

Assunção, A.G.L., Bookum, W.M., Nelissen, H.J.M., Vooijs, R., Schat, H. & Ernst, W.H.O. Differential metal-specific tolerance and accumulation patterns among *Thlaspi caerulescens* populations originating from different soil types, 411

Assunção, A.G.L., Bookum, W.M.T., Nelissen, H.J.M., Vooijs, R., Schat, H. & Ernst, W.H.O. A cosegregation analysis of zinc (Zn) accumulation and Zn tolerance in the Zn hyperaccumulator *Thlaspi caerulescens*, 383

Baker, A.J.M. *see* Mengoni, A.

Barker, J.H.A. *see* Zhao, F.J.

Batterham, P. *see* Tan-Kristanto, A.

Battey, N. *see* Tooke, F.

Bazzicalupo, M. *see* Mengoni, A.

Bernacchi, C.J., Calfapietra, C., Davey, P.A., Wittig, V.E., Scarascia-Mugnozza, G.E., Raines, C.A. & Long, S.P. Photosynthesis and stomatal conductance responses of poplars to free-air CO_2 enrichment (PopFACE) during the first growth cycle and immediately following coppice, 609

Bernards, M.A. *see* Qaderi, M.M.

Birch, P.R.J. *see* Bos, J.I.B.

Bjerke, J.W., Zielke, M. & Solheim, B. Long-term impacts of simulated climatic change on secondary metabolism, thallus structure and nitrogen fixation activity in two cyanolichens from the Arctic, 361

Bleeker, P.M. *see* Zhao, F.J.

Bookum, W.M. *see* Assunção, A.G.L.

Bookum, W.M.T. *see* Assunção, A.G.L.

Borisov, A.Y. *see* Tsyganov, V.E.

Bos, J.I.B., Armstrong, M., Whisson, S.C., Torto, T.A., Ochwo, M., Birch, P.R.J. & Kamoun, S. Intraspecific comparative genomics to identify avirulence genes from *Phytophthora*, 63

Braam, J. *see* McCormack, E.

Brown, D. *see* Mitchell, T.K.

Bruns, T.D. *see* Lilleskov, E.A.

Bundithya, W. *see* Guo, W.-J.

Calfapietra, C. *see* Bernacchi, C.J.

Campbell, D.A. *see* Schofield, S.C.

Cauwer, B.D. *see* Milbau, A.

Cavers, P.B. *see* Qaderi, M.M.

Chakraborty, S. & Datta, S. How will plant pathogens adapt to host plant resistance at elevated CO_2 under a changing climate?, 733

Chalot, M. *see* Peter, M.

Chianni, E. *see* Mengoni, A.

Clemens, S. & Simm, C. *Schizosaccharomyces pombe* as a model for metal homeostasis in plant cells: the phytochelatin-dependent pathway is the main cadmium detoxification mechanism, 323

Cobbett, C. *see* Tan-Kristanto, A.

Cobbett, C.S., Hussain, D. & Haydon, M.J. Structural and functional relationships between type 1_B heavy metal-transporting P-type ATPases in *Arabidopsis*, 315

Conroy, J.P. *see* Ghannoum, O.

Courty, P.-E. *see* Peter, M.

Datta, S. *see* Chakraborty, S.

Davey, P.A. *see* Bernacchi, C.J.

Dean, R.A. *see* Mitchell, T.K.

Delaruelle, C. *see* Peter, M.

Deng, J. *see* Mitchell, T.K.

Desikan, R. *see* Neill, S.J.

Dhankher, O.P., Shasti, N.A., Rosen, B.P., Fuhrmann, M. & Meagher, R.B. Increased cadmium tolerance and accumulation by plants expressing bacterial arsenate reductase, 431

Di Baccio, D., Tognetti, R., Sebastiani, L. & Vitagliano, C. Responses of *Populus deltoides* × *Populus nigra* (*Populus* × *euramericana*) clone I-214 to high zinc concentrations, 443

Drake, P.L. *see* Franks, P. J.

Driscoll, S.P. *see* Ghannoum, O.

Ducout, B. *see* Navas, M.-L.

Dumas-Gaudot, E. *see* Recorbet, G.

Duplessis, S. *see* Peter, M.

Edel, V. *see* Recorbet, G.

Ernst, W.H.O. *see* Assunção, A.G.L.

Ernst, W.H.O. *see* Assunção, A.G.L.

Escudero, A. *see* Mediavilla, S.

Faber, C. *see* Schneider, H.

Finlay, R.D. *see* Rosling, A.

Fotelli, M.N., Rennenberg, H., Holst, T., Mayer, H. & Geßler, A. Carbon isotope composition of various tissues of beech (*Fagus sylvatica*) regeneration is indicative of recent environmental conditions within the forest understorey, 229

Foyer, C.H. *see* Ghannoum, O.
Franceschi, V.R. *see* Hudgins, J.W.
Franks, P.J. & Drake, P.L. Desiccation-induced loss of seed viability is associated with a 10-fold increase in CO_2 evolution in seeds of the rare tropical rainforest tree *Idiospermum australiense*, 253
Fransson, P.M. *see* Taylor, A.F.S.
Freiwald, V. *see* Prozherina, N.
Frey-Klett, P. *see* Peter, M.
Fuhrmann, M. *see* Dhankher, O.P.
Funk, C. *see* Schofield, S.C.

Gabbrielli, R. *see* Mengoni, A.
Galardi, F. *see* Mengoni, A.
Garifullina, G.F. *see* Hanson, B.
Garnier, E. *see* Navas, M.-L.
Garnier, J. *see* Navas, M.-L.
Gebbing, T. The enclosed and exposed part of the peduncle of wheat (*Triticum aestivum*) – spatial separation of fructan storage, 245
Geßler, A. *see* Fotelli, M.N.
Ghannoum, O., Conroy, J.P., Driscoll, S.P., Paul, M.J., Foyer, C.H. & Lawlor, D.W. Nonstomatal limitations are responsible for drought-induced photosynthetic inhibition in four C_4 grasses, 599
Gianinazzi, S. *see* Recorbet, G.
Goldsbrough, P.B. *see* Guo, W.-J.
Gonnelli, C. *see* Mengoni, A.
Goodson, C.C., Parker, D.R., Amrhein, C. & Zhang, Y. Soil selenium uptake and root system development in plant taxa differing in Se-accumulating capability, 391
Guo, W.-J., Bundithya, W. & Goldsbrough, P.B. Characterization of the *Arabidopsis* metallothionein gene family: tissue-specific expression and induction during senescence and in response to copper, 369

Haase, A. *see* Schneider, H.
Hacisalihoglu, G. & Kochian, L.V. How do some plants tolerate low levels of soil zinc? Mechanisms of zinc efficiency in crop plants, 341
Hallenberg, N. *see* Tedersoo, L.
Hancock, J.T. *see* Neill, S.J.
Hanikenne M. *Chlamydomonas reinhardtii* as a eukaryotic photosynthetic model for studies of heavy metal homeostasis and tolerance, 331
Hanson, B., Garifullina, G.F., Lindblom, S.D., Wangeline, A., Ackley, A., Kramer, K., Norton, A.P., Lawrence, C.B. & Pilon-Smits, E.A.H. Selenium accumulation protects *Brassica juncea* from invertebrate herbivory and fungal infection, 461
Hara, T. *see* Matsui, K.
Haydon, M.J. *see* Cobbett, C.S.
He, T. *see* Jin, Y.
Hepler, P.K. *see* Holdaway-Clarke, T.L.
Herrera, C.M. *see* Alonso, C.
Herrera-Cervera, J.A. *see* Tsyganov, V.E.
Hoffmann, A. *see* Tan-Kristanto, A.
Högberg, M.N. *see* Taylor, A.F.S.
Högberg, P. *see* Taylor, A.F.S.
Hogetsu, T. *see* Nara, K.
Holdaway-Clarke, T.L. & Hepler, P.K. Control of pollen tube growth: role of ion gradients and fluxes, 539
Holst, T. *see* Fotelli, M.N.
Hudgins, J.W., Krekling, T. & Franceschi, V.R. Distribution of calcium oxalate crystals in the secondary phloem of conifers: a constitutive defense mechanism?, 677
Huitson, S.B. & Macnair, M.R. Does zinc protect the zinc hyperaccumulator *Arabidopsis halleri* from herbivory by snails?, 453
Hussain, D. *see* Cobbett, C.S.

Jeong, J.–S. *see* Mitchell, T.K.
Jin, Y., He, T. & Lu, B.-R. Fine scale genetic structure in a wild soybean (*Glycine soja*) population and the implications for conservation, 513

Kämäräinen, T. *see* Thorén, L.M.
Kamoun, S. *see* Bos, J.I.B.
Kirk, G.J.D. Rice root properties for internal aeration and efficient nutrient acquisition in submerged soil, 185
Kochian, L.V. *see* Hacisalihoglu, G.
Kohler, A. *see* Peter, M.
Koide, R.T. *see* Wu, T.
Kõljalg, U. *see* Tedersoo, L.
Kramer, K. *see* Hanson, B.
Krekling, T. *see* Hudgins, J.W.
Krohne, G. *see* Schneider, H.
Kusumoto, D. & Suzuki, K. Spatial distribution and time-course of polyphenol accumulation as a defense response induced by wounding in the phloem of *Chamaecyparis obtusa*, 167
Kuyper, T.W. *see* Rosling, A.

Lahner, B. *see* Peer, W.A.
Laine, K. *see* Thorén, L.M.
Lamaze, T., Pasche, F. & Pornon, A. Uncoupling nitrogen requirements for spring growth from root uptake in a young evergreen shrub (*Rhododendron ferrugineum*), 637
Landeweert, R. *see* Rosling, A.
Larsson, K.-H. *see* Rosling, A.
Larsson, K.-H. *see* Tedersoo, L.
Lawlor, D.W. *see* Ghannoum, O.
Lawrence, C.B. *see* Hanson, B.
Lilleskov, E.A. & Bruns, T.D. Root colonization dynamics of two ectomycorrhizal fungi of contrasting life history strategies are mediated by addition of organic nutrient patches, 141
Lim, W.L. & Loh, C.S. Endopolyploidy in *Vanda* Miss Joaquim (Orchidaceae), 279
Lindahl, B.D. *see* Rosling, A.
Lindblom, S.D. *see* Hanson, B.

Loh, C.S. *see* Lim, W.L.
Long, S.P. *see* Bernacchi, C.J.
Lu, B.-R. *see* Jin, Y.
Lu, C. *see* Qiu, N.
Lu, Q. *see* Qiu, N.

MacKenzie, T.D.B. *see* Schofield, S.C.
Macnair, M.R. *see* Huitson, S.B.
Mamoudian, M. *see* Peer, W.A.
Manz, B. *see* Schneider, H.
Martin, D. *see* Peter, M.
Martin, F. *see* Peter, M.
Matsui, K., Tetsuka, T., Nishio, T. & Hara, T. Heteromorphic incompatibility retained in self-compatible plants produced by a cross between common and wild buckwheat, 701
Mayer, H. *see* Fotelli, M.N.
McCormack, E. & Braam, J. Calmodulins and related potential calcium sensors of Arabidopsis, 585
McGrath, S.P. *see* Zhao, F.J.
Meagher, R.B. *see* Dhankher, O.P.
Mediavilla, S. & Escudero, A. Photosynthetic capacity, integrated over the lifetime of a leaf, is predicted to be independent of leaf longevity in some tree species, 203
Mendgen, K. *see* Voegele, R.T.
Mengoni, A., Baker, A.J.M., Bazzicalupo, M., Reeves, R.D., Adigüzel, N., Chianni, E., Galardi, F., Gabbrielli, R. & Gonnelli, C. Evolutionary dynamics of nickel hyperaccumulation in *Alyssum* revealed by ITS nrDNA analysis, 691
Milbau, A., Nijs, I., Peer, L.V., Reheul, D. & Cauwer, B.D. Disentangling invasiveness and invasibility during invasion in synthesized grassland communities, 657
Mimietz, S. *see* Schneider, H.
Mitchell, T.K., Thon, M.R., Jeong, J.–S., Brown, D., Deng, J. & Dean, R.A. The rice blast pathosystem as a case study for the development of new tools and raw materials for genome analysis of fungal plant pathogens, 53
Murphy, A.S. *see* Peer, W.A.

Nakaya, H. *see* Nara, K.
Nara, K., Nakaya, H., Wu, B., Zhou, Z. & Hogetsu, T. Underground primary succession of ectomycorrhizal fungi in a volcanic desert on Mount Fuji, 743
Navas, M.-L., Ducout, B., Roumet, C., Richarte, J., Garnier, J. & Garnier, E. Leaf life span, dynamics and construction cost of species from Mediterranean old-fields differing in successional status, 213
Neill, S.J., Desikan, R. & Hancock, J.T. Nitric oxide signalling in plants, 11
Nelissen, H.J.M. *see* Assunção, A.G.L.
Nelissen, H.J.M. *see* Assunção, A.G.L.
Neuberger, T. *see* Schneider, H.
Nijs, I. *see* Milbau, A.
Nishio, T. *see* Matsui, K.
Norton, A.P. *see* Hanson, B.

Obrist, D. & Arnone III, J.A. Increasing CO_2 accelerates root growth and enhances water acquisition during early stages of development in *Larrea tridentata*, 175
Ochwo, M. *see* Bos, J.I.B.
Oksanen, E. *see* Prozherina, N.
Olivain, C. *see* Recorbet, G.
Olivares, J. *see* Tsyganov, V.E.
Osbourn, A.E., Qi, X., Townsend, B. & Qin, B. Dissecting plant secondary metabolism – constitutive chemical defences in cereals, 101

Parker, D.R. *see* Goodson, C.C.
Pasche, F. *see* Lamaze, T.
Paul, M.J. *see* Ghannoum, O.
Peer, L.V. *see* Milbau, A.
Peer, W.A., Mamoudian, M., Lahner, B., Reeves, R.D., Murphy, A.S. & Salt, D.E. Identifying model metal hyperaccumulating plants: germplasm analysis of 20 Brassicaceae accessions from a wide geographical area, 421
Peter, M., Courty, P.-E., Kohler, A., Delaruelle, C., Martin, D., Tagu, D., Frey-Klett, P., Duplessis, S., Chalot, M., Podila, G. & Martin, F. Analysis of expressed sequence tags from the ectomycorrhizal basidiomycetes *Laccaria bicolor* and *Pisolithus microcarpus*, 117
Pilon-Smits, E.A.H. *see* Hanson, B.
Plamboeck, A.H. *see* Taylor, A.F.S.
Podila, G. *see* Peter, M.
Pornon, A. *see* Lamaze, T.
Priefer, U.B. *see* Tsyganov, V.E.
Prozherina, N., Freiwald, V., Rousi, M. & Oksanen, E. Interactive effect of springtime frost and elevated ozone on early growth, foliar injuries and leaf structure of birch (*Betula pendula*), 623

Qaderi, M.M., Cavers, P.B. & Bernards, M.A. Pre- and post-dispersal factors regulate germination patterns and structural characteristics of Scotch thistle (*Onopordum acanthium*) cypselas, 263
Qi, X. *see* Osbourn, A.E.
Qin, B. *see* Osbourn, A.E.
Qiu, N., Lu, Q. & Lu, C. Photosynthesis, photosystem II efficiency and the xanthophyll cycle in the salt-adapted halophyte *Atriplex centralasiatica*, 479

Raghavan, V. Some reflections on double fertilization, from its discovery to the present, 565
Raines, C.A. *see* Bernacchi, C.J.
Raschke, K. *see* Ritte, G.
Recorbet, G., Steinberg, C., Olivain, C., Edel, V., Trouvelot, S., Dumas-Gaudot, E., Gianinazzi, S. & Alabouvette, C. Wanted: pathogenesis-related marker molecules for *Fusarium oxysporum*, 73
Reeves, R.D. *see* Mengoni, A.
Reeves, R.D. *see* Peer, W.A.
Reheul, D. *see* Milbau, A.

Rengel, Z. & Zhang, W.-H. Role of dynamics of intracellular calcium in aluminium-toxicity syndrome, 295
Rennenberg, H. *see* Fotelli, M.N.
Richarte, J. *see* Navas, M.-L.
Ritte, G. & Raschke, K. Metabolite export of isolated guard cell chloroplasts of *Vicia faba*, 195
Rosen, B.P. *see* Dhankher, O.P.
Rosling, A., Landeweert, R., Lindahl, B.D., Larsson, K.-H., Kuyper, T.W., Taylor, A.F.S. & Finlay, R.D. Vertical distribution of ectomycorrhizal fungal taxa in a podzol soil profile, 775
Roumet, C. *see* Navas, M.-L.
Rousi, M. *see* Prozherina, N.

Sakai, K. *see* Zhao, J.
Salt, D.E. *see* Peer, W.A.
Sanjuan, J. *see* Tsyganov, V.E.
Sanjuan-Pinilla, J.M. *see* Tsyganov, V.E.
Scarascia-Mugnozza, G.E. *see* Bernacchi, C.J.
Schat, H. *see* Assunção, A.G.L.
Schat, H. *see* Zhao, F.J.
Schneider, H., Manz, B., Westhoff, M., Mimietz, S., Szimtenings, M., Neuberger, T., Faber, C., Krohne, G., Haase, A., Volke, F. & Zimmermann, U. The impact of lipid distribution, composition and mobility on xylem water refilling of the resurrection plant *Myrothamnus flabellifolia*, 487
Schofield, S.C., Campbell, D.A., Funk, C. & MacKenzie, T.D.B. Changes in macromolecular allocation in nondividing algal symbionts allow for photosynthetic acclimation in the lichen *Lobaria pulmonaria*, 709
Sebastiani, L. *see* Di Baccio, D.
Sharda, J.N. *see* Wu, T.
Shasti, N.A. *see* Dhankher, O.P.
Simm, C. *see* Clemens, S.
Sinclair, C. *see* Tan-Kristanto, A.
Sirová, D., Adamec, L. & Vrba, J. Enzymatic activities in traps of four aquatic species of the carnivorous genus *Utricularia*, 669
Solheim, B. *see* Bjerke, J.W.
Steinberg, C. *see* Recorbet, G.
Suzuki, K. *see* Kusumoto, D.
Szimtenings, M. *see* Schneider, H.

Tagu, D. *see* Peter, M.
Tan-Kristanto, A., Hoffmann, A., Woods, R., Batterham, P., Cobbett, C. & Sinclair, C. Translational asymmetry as a sensitive indicator of cadmium stress in plants: a laboratory test with wild-type and mutant *Arabidopsis thaliana*, 471
Taylor, A.F.S. *see* Rosling, A.
Taylor, A.F.S., Fransson, P.M., Högberg, P., Högberg, M.N. & Plamboeck, A.H. Species level patterns in ^{13}C and ^{15}N abundance of ectomycorrhizal and saprotrophic fungal sporocarps, 757
Tedersoo, L., Kõljalg, U., Hallenberg, N. & Larsson, K.-H. Fine scale distribution of ectomycorrhizal fungi and roots across substrate layers including coarse woody debris in a mixed forest, 153
Tetsuka, T. *see* Matsui, K.
Thon, M.R. *see* Mitchell, T.K.
Thorén, L.M., Tuomi, J., Kämäräinen, T. & Laine, K. Resource availability affects investment in carnivory in *Drosera rotundifolia*, 507
Tikhonovich, I.A. *see* Tsyganov, V.E.
Tognetti, R. *see* Di Baccio, D.
Tooke, F. & Battey, N. Models of shoot apical meristem function, 37
Torto, T.A. *see* Bos, J.I.B.
Townsend B. *see* Osbourn, A.E.
Trouvelot, S. *see* Recorbet, G.
Tsyganov, V.E., Voroshilova, V.A., Herrera-Cervera, J.A., Sanjuan-Pinilla, J.M., Borisov, A.Y., Tikhonovich, I.A., Priefer, U.B., Olivares, J. & Sanjuan, J. Developmental downregulation of rhizobial genes as a function of symbiosome differentiation in symbiotic root nodules of *Pisum sativum*, 521
Tuomi, J. *see* Thorén, L.M.

Vitagliano, C. *see* Di Baccio, D.
Voegele, R.T. & Mendgen, K. Rust haustoria: nutrient uptake and beyond, 93
Volke, F. *see* Schneider, H.
Vooijs, R. *see* Assunção, A.G.L.
Vooijs, R. *see* Assunção, A.G.L.
Voroshilova, V.A. *see* Tsyganov, V.E.
Vrba, J. *see* Sirová, D.

Walters, D. Resistance to plant pathogens: possible roles for free polyamines and polyamine catabolism, 109
Wang, J.R. *see* Zhao, F.J.
Wangeline, A. *see* Hanson, B.
Westhoff, M. *see* Schneider, H.
Whisson, S.C. *see* Bos, J.I.B.
Wittig, V.E. *see* Bernacchi, C.J.
Woods, R. *see* Tan-Kristanto, A.
Wu, B. *see* Nara, K.
Wu, T., Sharda, J.N. & Koide, R.T. Exploring interactions between saprotrophic microbes and ectomycorrhizal fungi using a protein–tannin complex as an N source by red pine (*Pinus resinosa*), 131

Zhang, W.-H. *see* Rengel, Z.
Zhang, Y. *see* Goodson, C.C.
Zhao, F.J., Wang, J.R., Barker, J.H.A., Schat, H., Bleeker, P.M. & McGrath, S.P. The role of phytochelatins in arsenic tolerance in the hyperaccumulator *Pteris vittata*, 403
Zhao, J. & Sakai, K. Peroxidases are involved in biosynthesis and biodegradation of β-thujaplicin in fungal elicitor-treated *Cupressus lusitanica* cell cultures, 719
Zhou, Z. *see* Nara, K.
Zielke, M. *see* Bjerke, J.W.
Zimmermann, U. *see* Schneider, H.

Keyword index

Abscisic acid (ABA), 11
acclimation, 709
accumulation, 431
aeration, 185
after-ripening, 263
aggressiveness, 733
Alternaria brassicicola, 461
aluminium (Al), 295
Alyssum, 691
aminopeptidase, 669
anaerobic soil, 185
angiosperm reproduction, 565
anthracnose, 533, 733
antifeedant, 453
aquatic carnivorous plants, 669
Arabidopsis, 369, 421, 431, 585
Arabidopsis halleri, 453
Arabidopsis petraea, 453
Arabidopsis thaliana, 471
ArsC, 431
arsenate reductase, 431
arsenic (As), 403
atmospheric change, 609
Atriplex centralasiatica, 479
avirulence, 63

β-hexosaminidase, 669
β-thujaplicin, 719
BAC, 53
bark, 677
bark beetle, 677
barley powdery mildew, 109
bean, 341
benzoxazinoids, 101
biocontrol, 73
biomass estimation, 10, 537
biotrophy, 93
birch (*Betula pendula*), 623
boreal forest, 775
Brassica juncea, 461
buckwheat, 701
bud burst, 623

C_4 photosynthesis, 599
cadmium (Cd) tolerance, 431
cadmium (Cd), 323, 331, 411, 471
calcium, 585
calcium (Ca), 295
calcium oxalate (CaOx), 677
callose, 295
callus tissue, 167
calmodulin, 585
carbon allocation, 93
carbon/nutrient balance theory, 507
carnivorous plant, 507
Chamaecyparis obtuse, 167
chitinase, 669
chl*a* fluorescence, 599
Chlamydomonas, 331
chlorophyll fluorescence, 195
chloroplast, 195
Clavulicium, 153
climate change, 533, 609, 733
climate, 229
co-inoculation, 141
CO_2 assimilation, 203
CO_2 enrichment, 175
Cochlearia, 421
Colletotrichum, 733
Colletotrichum gloeosporioides, 533
colonization, 537
common principal components (CPC), 645
community structure, 743
compartmentalization, 341
conifer, 167
conifers, 677
copper, 369
copper (Cu), 331
cosegregation, 383
crystals, 677
Cupressus lusitanica, 719
cyclic ADP ribose and cyclic GMP, 11
cyclic nucleotide-gated ion channels, 11
cypsela maturation, 263
cytoplasmic Ca^{2+} homeostasis, 295
cytoskeleton, 295

$\delta^{13}C$ composition, 229
dct genes, 521
decomposed wood, 153
defence hypothesis, 453
defense, 677
defense response, 167
depsides, 361
detoxification, 323
developmental genetics, 37
developmental stability, 471
diamine oxidase (DAO), 109
Dictyochloropsis reticulata, 709
diffusion, 185, 487
diurnal, 245
diversity, 743, 775
dormancy, 263
double fertilization, 565
Drosera (sundew), 507
drought, 599

early primary succession, 743
ecosystem change, 536
ectomycorrhiza, 7, 775
ectomycorrhizas, 536
ectomycorrhizal (ECM) fungi, 757
ectomycorrhizal basidiomycetes, 117
ectomycorrhizal fungal community, 153
ectomycorrhizal fungi, 131, 743
ectomycorrhizas, 141
EF hands, 585
elevated CO_2, 609
elicitor, 719
endopolyploidy, 279
endoreduplication, 279
ergosterol, 10, 537
European beech, 229
evergreen, 637
evolution, 691
expressed sequence tags (ESTs), 117
extracellular enzymatic activity, 669

faecal pellets and fertilization, 141
fatty acids, 10, 537
ferrous iron, 185
fibers, 677
fine scale, 153
flow cytometry, 279
flower initiation, 37
foliar injury, 623
Fot1, 73
Free Air CO_2 Enrichment (FACE), 609
frost, 623
fructan, 245
functional and comparative genomics, 63
functional genomics, 4, 293
functional groups, 757
fungal diversity, 757
fungi, 53
Fusarium, 461

GA_3 (gibberellic acid), 279
gaps, 657

gene diversity, 117
gene profiling, 117
genetics, 341, 383
genome size, 421
genomic tools, 53
genomics, 7
germination, 263
glucosidase, 669
Glycine soja, 513
grain filling, 245
growth, 37, 623
growth analysis, 443
guard cell, 195
gymnosperm reproduction, 565

H^+-ATPase, 295
H_2O_2, 719
heavy metal homeostasis, 331
heavy metal tolerance, 331, 383
heavy metal, 369
heavy metals, 293, 443, 691
Helix aspersa, 453
herbivory, 461
heterostyle, 701
historical review, 565
host resistance, 109
host-specificity, 63
hyperaccumulation, 293, 383, 403, 411, 453, 461, 691
hyperaccumulator, 391

impala, 73
in vitro fertilization, 565
inorganic nutrients, 507
interaction, 131
Internal cycling, 637
internal transcribed spacers, 691
internodes, 245
interspecific cross, 701
intraspecific variation, 743
invasibility, 657
invasion, 657
invasiveness, 657
iron (Fe), 331
isotopic dilution, 391
ISSR marker, 513
ITS sequence, 743
ITS terminal-RFLP, 743

kinship coefficient, 513

labile Se, 391
Laccaria, 7
Laccaria bicolor, 117
Larrea tridentata (creosote bush), 175
leaf ^{15}N labeling, 637
leaf age, 203
leaf construction cost (CC), 213
leaf dynamic patterns, 213
leaf initiation, 37
leaf life span, 203
leaf life span (LLS), 213
leaf nitrogen, 203
leaf ontogeny, 645
leaf stickiness, 507
leaf structure, 623
leaf trace, 487
leaf traits, 213
Legume–*Rhizobium* symbiosis, 521
life forms, 213
life history strategy, 141
lipid lining, 487
Lobaria pulmonaria, 709

Magnaporthe grisea, 4, 53
maternal effect genes, 565
Mediterranean old-fields, 213
Mesodon ferrissi, 461
metabolite export, 195
metal homeostasis, 323
metal hyperaccumulation, 421
metal transporter, 323
metallothionein, 369
mineral composition of leaves, 645
mobilization, 245
model, 213
model species, 351
model system, 421
models, 37
molecular phylogeny, 691
mycorrhiza, 4, 10, 537
mycorrhizas, 536
Myrothamnus flabellifolia, 487

NAA (naphthalene acetic acid), 279
nickel, 691
nickel (Ni), 411
nitrate reductase, 11
nitric oxide synthase, 11
nitrogen cycling, 131
nitrogen fixation, 361
NMR imaging and spectroscopy, 487
nod genes, 521
nutrient cycling, 757
nutrition, 293

O_2 evolution, 599
Onopordum acanthium (Scotch thistle), 263
oomycetes, 63
orchid, 279
organic nutrients, 141
Oryza sativa (rice), 185
oxygen, 185
ozone, 623

paren-chymatic zone, 167
pathogen evolution, 733
pathogenicity factors, 73
Pea symbiotic mutants, 521
Peltigera, 361
perennial grasses, 657
peroxidase, 719
phenotypic integration, 645
phloem, 167, 677
phosphatase, 669
phospholipid, 487
photobiont, 709
photoinhibition, 479
photoprotection, 709
photosynthesis, 443, 709
photosynthetic electron transport, 609
physical map, 53
phyto-remediation, 391
phytochelatin-dependent pathway, 323
phytochelatins, 403
phytopathogenic fungi, 73
Phytophthora, 63
phytoremediation, 293, 391, 431
Pieris rapae, 461
Piloderma, 775
Pinus muricata, 141
Pinus resinosa (red pine), 131
Pisolithus, 7
Pisolithus microcarpus, 117
Pisum sati-vum, 521
plant defence, 101
plant–herbivore interactions, 645
Plant–microbe interactions, 63, 521
plant pathogen, 533
plant–pathogen interactions, 4, 11
plasma membrane, 295
podzol, 775
pollen tube guidance, 565
polyamine oxidase (PAO), 109
polyamines, 109
polyphenol accumulation, 167
population structure, 513
populations, 411
Populus (poplar), 443
Populus spp, 609
prey capture, 507
primary succession, 536

programmed cell death (PCD), 109
protein–tannin complex, 131
PsbS, 709
PSII photochemistry, 479
Pteris vittata, 403

random insertional mutagenesis, 73
RAPD analysis, 733
recalcitrant seeds, 253
remobilization, 637
reserves, 245
Rhizobium leguminosarum bv. *viciae*, 521
Rhizopogon occidentalis, 141
rhizosphere oxidation, 185
Rhodo-dendron ferrugineum, 637
rice blast, 53
root architecture, 391
root plasticity, 175
root production, 175
root uptake, 637
roots, 153
Rubisco, 609
rust infection, 93

S supergene, 701
salt adaptation, 479
saponins, 101
saprotrophic fungi, 757
saprotrophic microorganisms, 131
Schizosaccharomyces pombe, 323
secondary messenger system, 295
secondary metabolites, 101
seed desiccation, 253
seed ecology, 253
seed evolution, 253
seed respiration, 253
segregating cross, 453
Selenium, 461
selenium (Se), 391
self-incompatibility, 701
senescence, 369
sequencing, 153
shade, 507
shoot apical meristem, 37
signal transduction, 11
signal transduction, 585
snails, 453
soil horizons, 153
soil water uptake, 175
soralia, 361
spatial autocorrelation, 513
spatial distribution, 153
species richness, 743
specific leaf area, 203
spermine, 109
spring growth, 637
stable isotopes, 757
stomata, 11
stomatal and metabolic inhibition, 599
stress, 471
structural characteristics, 263
Stylosanthes scabra, 533
succession, 141, 213
sucrose, 245
superoxide anion synthase, 719
sym genes, 521
synteny, 53
synthesized communities, 657

targeted disruption, 73
temperature, 263
the Arctic, 361
thinning, 229
Thlaspi, 421
Thlaspi caerulescens, 351, 383, 411
tobacco (*Nicotiana tabacum*), 431
tobacco mosaic virus (TMV), 109
tolerance, 351, 403, 411
Tomentella sublilacina, 141
transscriptome, 4, 7
transformation, 421
translational asymmetry, 471
transmission electron microscopy, 487
trap fluid pH, 669
trichome, 369
Triticum aestivum (wheat), 245

understorey vegetation, 229
uptake, 341
Uromyces fabae, 93
UV-B, 361

Vanda Miss Joaquim, 279
vertical distribution, 775
Vicia faba, 93, 195
volanic desert, 536

warming, 361
wheat, 341
whole genome comparison, 53
wild soybean, 513
woody species, 203

xanthophyll cycle, 479
xylem refilling, 487

zinc (Zn), 411, 443
Zinc deficiency, 341
Zinc efficiency, 341
Zn, 383
Zn/Cd/Ni hyperaccumulation, 351